

**Make sure to do the assignments for BOTH Section 1 and Section 2 below**

## **Section 1: Python Programs**

### **Week 1**

1. Copy all the programs from the Weekly Sessions and get them to work
2. Modify any one of the above programs to change its output
3. Program 1: Write a program to display the message “Hello everyone” **three times**, on separate lines on the screen using **3 print()** statements

```
Hello everyone  
Hello everyone  
Hello everyone
```

4. Modify Program 1 to produce the same output BUT using **only 1 print()**

*Hint: When you put '\n' in a string, the print() function starts a newline e.g.*

```
print('Bye \n Bye\n')
```

outputs

```
Bye  
Bye
```

5. Write a program that prints out your name, followed by a blank line, followed by your address, followed by a blank line, followed by your telephone number (you may make up an address and a telephone number). Save this program as p1\_5.py.

### **Week 2**

1. Create and run the beep program below

```
# beep.py: Just for fun – beep 3 times !!  
  
print("\a \a \a")
```

- (a) Modify Program 1 from Week 1, number 3 above, to beep after it displays each line
- (b) Modify the program to beep twice before it displays each message

2. Write a program that uses a single print command with a number of arguments to print to the screen the strings “Hello,” and “world.” The output should include a space between the comma and the word “world”.  
Save your program as p2.py.
3. Write a program that uses a single print command with a single argument to print to the screen the concatenation of the strings “Hello,” and “world.” Again, the output should include a space between the comma and the word “world”.  
Save your program as p3.py.
4. Write a program that assigns to a variable the concatenation of the strings “Hello,” and “world.” and includes a space between the comma and the word “world”. The program should then print out the value of this variable.

Save your program as p4.py.

For each of the following programs, use assignment statements to give values to variables.

5. Write a program that takes an amount of currency (a float) and an exchange rate to another currency (a float) and prints out the value of the original amount in the other currency. (Use today’s exchange rate for two currencies of your choice.)

Save this program as p5.py.

6. Write a program that takes a single length (a float) and calculates the following:
  - The area of a square with side of that length. ( $\text{length} * \text{length}$ )
  - The volume of a cube with side of that length. ( $\text{length} ** 3$ )
  - The area of a circle with diameter of that length ( $3.14 * (\text{length}/2)**2$ )

You can use 3.1415927 for the value pi.

Save this program as p6.py.

7. Write a program that takes an amount (a float), and calculates the tax due according to a tax rate of 20%.  
Save this program as p7.py.

## Week 3

1. Create and runs the programs convert5.py and convert6.py from the section on *Conditional Statements*, in the *Handbook Introduction to Programming*
2. Modify the calculator program calc3.py from the section on *Conditional Statements*, in the *Handbook Introduction to Programming* to handle multiplication and division as well as addition and subtraction.
3. Write a program to read three numbers and display the largest and smallest of the numbers entered.
4. Write a program to simulate a cash register for a single purchase. The program should read the unit cost (real number) of an item and the numbers of items purchased. The program should display the total cost for the items. If the unit cost is greater than 10000, the program should display an error

message, “Invalid unit cost – too large”. If the unit cost is 0 it should display an error message, “Unit cost cannot be 0”.

```
Enter unit cost: 5.5
Enter number of units: 10
Total cost: 55.0
```

```
Enter unit cost: 0
Unit cost cannot be 0
```

5. Write a program to show a menu of areas to be calculated and to calculate the area chosen by the user. The menu you are to display, is shown in italics below

*Choose the area you wish to calculate from the menu below*

```
a for the area of a square
b for the area of a circle
c for the area of a rectangle
```

*Enter your choice:*

The program should prompt for the dimensions of the area:  
length of a side in the case of a (area = length \*\*2);  
radius in the case of b (area = 3.14 \* r\*\*2)  
length and breadth in the case of c (area = length \* breadth).

6. Write a program to read a string from the user and display an appropriate message depending on the first character of the string indicating if the character was an uppercase letter, a lowercase letter or a digit ('0' to '9'). Sample outputs are shown below:

```
Enter a string: A
You entered an uppercase letter
```

```
Enter a string: b
You entered a lowercase letter
```

```
Enter a string: 5
You entered a digit
```

```
Enter a string: &
You did not enter a letter or a digit.
You entered &
```

## **Week 4**

1. Modify Program 4 from Week 3 to allow the user keep entering unit cost and number of units. The program terminates when the user enters -1 for unit cost.
2. Modify Program 5 from Week 3 to use a loop to allow the user keep choosing an area to calculate until the user enters q or Q to quit.

3. Write a program to convert Khat to dollars. The program should continue running until the user enters q or Q to quit e.g.

Enter Khat or q to quit:

4. Write a program to using a loop to  
read number of hours worked per week (maximum is 100)  
read rate per hour (max is 50)  
compute gross pay (pay before tax)  
compute tax at 10% of pay if pay > 100  
tax is 0 if pay <100  
display result as

Gross Pay: 200      rate: 10      Hours worked: 40  
Tax: 20  
Net Pay: 180

Press Y to continue for another employee:

5. Write a program to display 10 lines with  
9 Spaces followed by 1 star on line 1;  
8 spaces followed by 2 stars on line 2,  
7 spaces followed by 3 stars on line 3 and so on

0 spaces and 10 stars on line 10  
The output should appear as follows:

```
*  
**  
***  
****
```

\*\*\*\*\*

6. Modify program 5 above to output a what looks like a “tree” as follows

```
*  
**  
***  
****  
*****
```

\*\*\*\*\*

7. Write a program to read a string and display it, replacing any occurrence of A in the string by o:

Enter a string with an A in it: ABBA  
Replacing A with o gives: oBBo

8. Write a program to read a string and count the number of digits (0,1,2,..9) in it

Enter a string: 12abc34def56  
There are 6 digits in 12abc34def56

Hint: if `s[i] >='0'` **and** `s[i] <= '9'` then `s[i]` contains a digit.

9. Write a program to read a string and count the number of uppercase letters (A..Z) and lowercase letters (a..z) in the string

```
Enter a string : ABC defg
3 uppercase letters and 4 lowercase letters in ABC defg
```

Hint: if `s[i] >='A'` **and** `s[i] <= 'Z'` then `s[i]` contains an uppercase letter.

## Week 5

1. Copy and run the programs `create.py`, `read.py`, `wc.py` and `copy.py`, from the Handbook.
2. Write a program to create a file called **hours.txt** with the following lines(name and hours worked on separate lines):  
Joe  
34  
Mary  
42  
Jack  
63  
Ann  
21
3. Write a program to read the names and hours worked stored in **hours.txt**. The program should calculate and display the pay for each person assuming a rate of 10 per hour:  
Joe 340  
Mary 420  
Jack 630  
Ann 210
4. Write a program **secret.py** to read a secret word from the user and store it in the file **secret.txt**.
5. Write a program **guess.py** to give the user 4 chances to guess the secret word stored in **secret.txt**.
6. Modify `secret.py` to allow the user to store as many secret words as they wish, each on a separate line in the file.
7. Modify `guess.py` to allow the user keep playing the guessing game until (a) they have used all the secret words that were stored in `secret.txt` or (b) the user decides to quit by entering **quit** as a guess.
8. Write a program that reads a python program, file and checks that brackets ( and ) are balanced, ie there should never be a situation where there are more right brackets than there are corresponding left brackets and the total number of right brackets should equal the number of left brackets.

Your program should return the total number of each bracket and a message indicating whether or not the file has balanced brackets.

9. Write a program **display.py** to display a file specified by the user:

Enter name of file to be displayed: names.txt

*Contents of names.txt are shown here*

10. Modify display.py to display the file contents **5 lines at a time**. The program pauses after displaying 5 lines until the user presses either Q to quit or Return to display the next 5 lines. As in previous programs, we read the filename from user and open it appropriately. We then process the file:

```
read line from file
linecount = 1
while ( (not end of file) and (user not finished)
    display line
    linecount = linecount + 1

    if linecount == 5
        linecount = 1
        prompt user to continue displaying or quit
    read next line from file                # end while loop
```

11. Write a program to **compare** two files specified by the user, displaying a message indicating whether the files are identical or different. This is the basis of a **compare** command provided by most operating systems. The **pseudo code** below outlines an algorithm for this program – convert it to Python. The term pseudo code is used for language that looks like a programming language.

```
prompt user for name of first file say fileA
check if file exists, quitting if it does not
prompt user for name of second file say fileB
check if file exists, quitting if it does not
open fileA
open fileB
read string sa from fileA
read string sb from fileB
while ( (sa == sb) and (not EOF file A) and (not EOF file B) )
    read string sa from fileA
    read string sb from fileB    # end of while loop
if (sa == sb)
    display "Files identical"
else
    display "Files differ"
```

Note: There are 3 reasons for the while loop to finish:

1. The strings are the same but we have reached the end of the 2 files and hence the file must be the same

2. The strings differ and hence the files differ
3. We have reached the end of 1 file but not the other file and hence the file differ

## Week 6

1. Copy and run the programs `guess3.py`, `tel.py`, `tel2.py` and `tel3.py`, from the Handbook.
2. Modify the program `guess3.py` to read a list of 10 secret words from a file called `guess.dat` and allow the user to play the guessing game until the user want to quit or all 10 words have been used in the game.
3. Change the `print()` function in the above programs **to use f-strings** where possible in displaying the value of variables.
4. Write a program `create_payroll.py` to create a file called `payroll.dat` which stores employee names, rate of pay and hours worked. These values are read from the user until a blank name is entered.

The format of `payroll.dat` is:

```
Joe Bloggs 10.50 40
Mary Smith 12.00 60
John Dunnion 12. 50
Jane Doe 10.50 35
```

5. Write a program `compute_pay.py` to read the employee data from the file `payroll.dat` and display the pay for each employee:

```
Joe Bloggs      Pay is 420.0 for 40 hours at 10.50 per hour
Mary Smith      Pay is 720.0 for 60 hours at 12.00 per hour
John Dunnion    Pay is 600.0 for 50 hours at 12.00 per hour
Jane Doe        Pay is 367.5 for 35 hours at 10.50 per hour
```

6. Modify `compute_pay.py` to store its output in a new file called `payroll.out` instead of displaying it on the screen.

## Section 2: Weekly Exercises

### Week 1

1. Make the following deliberate errors in a Python program and explain what happens
  - a. Omit " at end of a string
  - b. Omit "(" from a print statement
  - c. Omit ")" from a print statement
  - d. Misspell print as "prince"
  
1. Explain the concept of **variable**
2. Explain what is meant by the *type* of variable
3. Why do we need to use meaningful variable names ?
4. Which of the following are valid Python variable names
  - a. Tax1123
  - b. Tax456
  - c. 12tax
  - d. Tax\_code
  - e. Tax-code
  - f. Tax.code
  - g. print

### Week 2

1. What is the difference between an algorithm and a program ?
2. What is a syntax error ?
3. Why should you use comments in a program ?
4. What type does the `input()` function return ?
5. How can we convert the type returned by `input()` to a float ?

## Week 3

1. What will the following code fragments display:

(a)  
`n = 10`  
  
`if n == 10:`  
    `print("n is 10")`  
`else:`  
    `print("n is not 10")`

(b)  
`n = 0`  
  
`if n =10`  
    `print("n is 10")`  
`else`  
    `print("n is not 10")`

Explain the error in this code fragment

2. What is a Boolean expression ?
3. What values can a Boolean expression take ?

## Week 4

2. What sequences will the following range functions produce

- a. `range(10)`
- b. `range(10, 14)`
- c. `range(2,10)`
- d. `range(10, 4, -1)`
- e. `range(100, 10, -10)`
- f. `range(1, 10)`
- g. `range (10, -1,-1)`
- h. `range(5, -2, -1)`

3. Will the following loop finish ?

```
j = 0
while j < 10:
    print("j = ", j)
j = j + 1
```

## Week 5

1. What is the difference between opening a file for reading and for writing ?
2. Why should we check if a file exists before we open it for reading ?

3. Why do we need to close a file when we are finished with it ?
4. What function do we use to terminate a Python program? Why is this useful?

## Week 6

1. What is the value of n in the code below
  - a. `n = len([1, 2, 3])`
  - b. `n = len(["abc", 2])`
  - c. `n = len([[1, 2], 3, 4, [4,5]])`

2. What is the value of x in

```
s = "abcd 1234"
x = s[0]
x = s[2:4]
x = s[-1]
```

3. What is the list L in

```
L = [x + 2 for x in range(7)]
```

4. What is the list L in

```
L = [1] * 4
```

5. What is the value of n in the code below

```
L = [1, 2, 3, 4, 1, 3, 7, 9]
• n = L.count(3)
• n = L.count(9)
• n = L.count(8)
```

6. What is L after the sort

```
L = [ 24, 8, 36, 9, 2, 78, 99, 45]
L.sort()
```

7. What is the value of t, u, v, w:

```
s = "abcd"
t = s.lower()
u = s.upper()
v = s.replace('d', 'xxx')
w = u.upper()
```

8. What is the value of t, u, v, w:

```
s = "blue, green, red, pink, purple"
t = s.split(',')
s = 'red orange green'
```

```
v = s.split()
s = 'tom.jones.joe.smith.bill'
w = s.split('.')
```

9. What will the following code display

```
PI = 3.145926
```

```
print(f"Pi = {PI:.2f}")
print(f"Pi = {PI:.1f}")
print(f"Pi = {PI:.3f}")
print(f"Pi = {PI:.0f}")
```